according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 Print date: 3 Jul 2025

Version: 2 Page 1/10



OBTEGO SP-100

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

OBTEGO SP-100

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

surface preparation

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): OBTEGO AG

Landshuter Straße 36 84051 Essenbach/Altheim

Germany

Telephone: +49 8703/93844-0
Telefax: +49 8703/93844-29
E-mail: sdb@obtego.com
Website: www.obtego.com

E-mail (competent person): sdb@obtego.com

1.4. Emergency telephone number

24h: +49(0)89-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements: none

Supplemental hazard information: none

| Precautionary statements Prevention | |
|-------------------------------------|--|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |

| Precautionary statements Response | | |
|-----------------------------------|--|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present | |
| | and easy to do. Continue rinsing. | |

2.3. Other hazards

Adverse human health effects and symptoms:

The substance/mixture does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more. The substance/mixture does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

Adverse environmental effects:

This substance/mixture does not contain any components in concentrations of 0.1% or higher that are either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB). very bioaccumulative (vPvB).

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 Print date: 3 Jul 2025

Version: 2 Page 2/10



OBTEGO SP-100

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|-----------------------|---|---------------|
| CAS No.: 1312-76-1 | Silicic acid, potassium salt | 0 - ≤ 10 |
| EC No.: 215-199-1 | Eye Irrit. 2 (H319), STOT SE 3 (H335), Skin Irrit. 2 (H315) | weight-% |
| REACH No.: | (!) Warning | |
| 01-2119456888-17-0002 | Specific concentration limit (SCL) | |
| | STOT SE 3; H335: C ≥ 75% | |
| | Eye Irrit. 2; H319: C ≥ 40% | |
| | Skin Irrit. 2; H315: C ≥ 40% | |

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

.. No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

Hazardous combustion products:

Nitrogen oxides (NOx), Carbon dioxide (CO2), Carbon monoxide In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 Print date: 3 Jul 2025

Version: 2 Page 3/10



OBTEGO SP-100

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water.

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7. Personal protection equipment: see section 8. Disposal: see section 13.

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

Usual measures for fire prevention.

Measures to prevent aerosol and dust generation:

Use only in well-ventilated areas.

Environmental precautions:

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

Wash hands before breaks and after work. Use protective skin cream before handling the product. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Keep/Store only in original container.

Requirements for storage rooms and vessels:

The floor should be leak tight, jointless and not absorbent.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 Print date: 3 Jul 2025

Version: 2 Page 4/10



OBTEGO SP-100

Further information on storage conditions:

Protect containers against damage. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

Industrial sector specific solutions:

Covering agents, water based, alkaline

GISCODE:

BSW40

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

| Substance name | DNEL value | ① DNEL type② Exposure route③ Exposure time | |
|---|------------------------|--|--|
| Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1 | 1.38 mg/m ³ | DNEL Consumer Long-term – inhalation, systemic effects | |
| Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1 | 5.61 mg/kg bw/day | ① DNEL worker ② Long-term – inhalation, local effects | |
| Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1 | 0.74 mg/m ³ | DNEL Consumer Long-term - dermal, systemic effects | |
| Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1 | 1.49 mg/kg bw/day | ① DNEL worker ② Long-term - dermal, local effects | |
| Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1 | 0.74 mg/kg bw/day | DNEL Consumer Long-term - oral, systemic effects | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 16 mg/m³ | ① DNEL worker ② Long-term – inhalation, systemic effects | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 16 mg/m³ | ① DNEL worker ② Acute - inhalation, systemic effects | |

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 Print date: 3 Jul 2025

Version: 2

Page 5/10



OBTEGO SP-100

| Substance name | DNEL value | ① DNEL type② Exposure route③ Exposure time |
|---|------------|--|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 16 mg/m³ | ① DNEL worker ② Long-term – inhalation, local effects |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 9.1 mg/kg | ① DNEL worker ② Long-term - dermal, systemic effects ③ 24 h |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 9.1 mg/kg | ① DNEL worker ② Acute – dermal, systemic effects ③ 24 h |

| Substance name | PNEC Value | ① PNEC type |
|---|--------------|------------------------------|
| Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1 | 7.5 mg/L | ① PNEC aquatic, freshwater |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 0.0058 mg/L | ① PNEC aquatic, freshwater |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 0.00058 mg/L | ① PNEC aquatic, marine water |

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025

Print date: 3 Jul 2025 Version: 2

Page 6/10



OBTEGO SP-100

| Substance name | PNEC Value | ① PNEC type |
|--|------------|-------------------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | 2.3 mg/kg | ① PNEC sediment, freshwater |
| reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4- isothiazolin-3-one [EC no. 220-239-6] (3:1) CAS No.: 55965-84-9 | | ① PNEC sediment, marine water |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures to prevent exposure

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374. Suitable material: Butyl caoutchouc (butyl rubber), Breakthrough time: > 120 min. In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: aerosol or mist formation. Filtering device (full mask or mouthpiece) with filter: P2

Other protection measures:

Avoid dust formation. Do not breathe dust. Avoid contact with eyes and skin. Wear suitable protective clothing and gloves.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: white Odour: not determined flammability: No

Safety relevant basis data

| Parameter | Value | at °C | ① Method |
|---|-------------------|-------|----------|
| | | | ② Remark |
| рН | 11.3 | 20 °C | |
| Melting point | No data available | | |
| Freezing point | No data available | | |
| Initial boiling point and boiling range | > 100 °C | | |
| Flash point | No data available | | |

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 **Print date:** 3 Jul 2025

Version: 2 Page 7/10



OBTEGO SP-100

| Parameter | Value | at °C | ① Method |
|--|--------------------|-------|---------------------|
| | | | ② Remark |
| Evaporation rate | No data available | | |
| Auto-ignition temperature | No data available | | |
| Upper/lower flammability or explosive limits | No data available | | |
| Vapour pressure | No data available | | |
| Vapour density | No data available | | |
| Density | ≈ 1.04 g/cm³ | 20 °C | ① DIN EN ISO 2811-2 |
| Bulk density | not applicable | | |
| Water solubility | partially miscible | | |
| Dynamic viscosity | No data available | | |
| Kinematic viscosity | No data available | | |

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

See section 7. No additional measures necessary.

10.5. Incompatible materials

Materials to avoid: Acid, Light metals (Formation of: Hydrogen)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

LD₅₀ oral: >2,000 mg/kg (Ratte)

LD₅₀ dermal: >5,000 mg/kg (Ratte) EPA OPPTS 870.1200 (Acute Dermal Toxicity)

LC₅₀ Acute inhalation toxicity (vapour): >206 mg/L 4 h EPA OPPTS 870.1300 (Acute inhaltaion toxicity)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 **Print date:** 3 Jul 2025

Version: 2 Page 8/10



OBTEGO SP-100

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

EC₅₀: >146 mg/L 2 d (fish, Leuciscus idus) DIN 38412 Teil 15 German std. method OECD 203

EC₅₀: >207 mg/L 3 d (Algae/water plant, Desmodesnus subpicatus (Scenedesmus subspicatus)) DIN 38412 Teil 9 German Natinal Guideline, the method conforms with OECD 201

12.2. Persistence and degradability

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

Biodegradation: -

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

| 17 09 04 | Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 |
|----------|---|
| | 103 |

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025 Print date: 3 Jul 2025

Version: 2 Page 9/10



OBTEGO SP-100

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

| Land transport (ADR/RID) | (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) | | |
|--|--|--|--|--|--|
| 14.1. UN number or I | D number | | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | | |
| 14.2. UN proper ship | ping name | | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | | |
| 14.3. Transport hazaı | d class(es) | | | | |
| not relevant | not relevant | not relevant | not relevant | | |
| 14.4. Packing group | | | | | |
| not relevant | not relevant | not relevant | not relevant | | |
| 14.5. Environmental hazards | | | | | |
| not relevant | not relevant | not relevant | not relevant | | |
| 14.6. Special precaut | 14.6. Special precautions for user | | | | |
| not relevant | not relevant | not relevant | not relevant | | |

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

2008/98/EC, 2001/118/EC, 1999/13/EC, 2004/42/EC, (EC) No. 1907/2006, (EU) 2015/830, 75/324/EEC, 2008/47/EC, (EC) No. 1272/2008, 2008/68/EC, (EC) No. 648/2004

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).: VOC value 0 g/L

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

VOC-Wert 0 g/L

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection quideline' (94/33/EC).

Störfallverordnung (12. BlmschV)

Remark:

Not subject to StörfallVO.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

Total dust emission value may not be exceeded (see number 5.2.1).

Water hazard class

WGK:

1 - slightly hazardous to water

Description:

Classification according to VwVwS, Annex 3.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Feb 2025

Print date: 3 Jul 2025

Version: 2 Page 10/10



OBTEGO SP-100

Technische Regeln für Gefahrstoffe

TRGS 200, TRGS 401, TRGS 510, TRGS 900, TRGS 905

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen): BGI 595, BGI 564

Other regulations, restrictions and prohibition regulations

Gefahrstoffverordnung (GefStoffV), Wasserhaushaltsgesetz (WHG)

15.2. Chemical Safety Assessment

not applicable

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Hazard statements | |
|-------------------|-----------------------------------|
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.